Automatic Tank Gauge Probes

Product Line - India



www.gilbarco.in

Automatic Tank Gauges (ATG) Probes

► Benefits

Continuous level monitoring

Real time response to tank level changes, accurate delivery reports, no more manual dipping.

Water detection

Detect water before it is dispensed, prevent damage to STP.

Multipoint temperature measurement

Temperature compensated volumes, easier analysis of delivery / temperature variances.

Compact size

Install in limited headroom applications in tank entries as small as 25.4mm

In-tank leak detection

Allows third-party certified tank testing to 0.38 or 0.76 litres per hour precision, without additional cost, at any time.

LPG monitoring

Integrate LPG tanks to central monitoring system for convenience.

Special installation kits


Isolate probe in LPG or aggressive substances for easy installation and maintenance.

TLS-RF compatible

Inventory management and reconciliation, certified tank testing or leak sensor monitoring, without the disruption caused by breaking up the site to install cable ducting.



Technical Specifications



ATG Specifications				
Probe Type	Probe Type	P(D)	P(D)	P(D)
Mag Plus Probe	0.1 GPH / 0.38 LPH	99%	1%	3 Hours
Mag Plus Probe	0.2 GPH / 0.76 LPH	99%	<0.1%	2 Hours
Mag Plus With CSLD	0.2 GPH / 0.76 LPH	99%	<0.1%	Continuous



GILBARCO VEEDER-ROOT INDIA PRIVATE LIMITED | MUMBAI | +91-22-66379132/33 www.gilbarco.in